

LISTING AND AMENDMENT OF THE CLAIMS:

1. (Previously presented) Hydrogel that changes its shape and volume in response to change in pH and in response to change in temperature, formed by photocrosslinking of dextran-maleic acid monoester and N-isopropylacrylamide in a composition comprising from 10 to 75% by weight dextran-maleic monoester and from 90 to 25% by weight N-isopropylacrylamide, with the total of the dextran-maleic acid monoester and N-isopropylacrylamide being 100%.
2. (Previously presented) The hydrogel of claim 1 which is formed by photocrosslinking dextran-maleic acid monoester and N-isopropylacrylamide in a composition comprising from 20 to 65% by weight dextran-maleic acid monoester and from 80 to 35% by weight N-isopropylacrylamide.
3. (Original) The hydrogel of claim 2 where the dextran-maleic acid monoester has an average degree of substitution ranging from 0.85 to 0.95 and a weight average molecular weight ranging from 65,000 to 75, 000 on a dextran basis.
4. (Original) The hydrogel of claim 3 which has a lower critical solution temperature which is less than or near body temperature.
5. (Original) A hydrogel forming system comprising a solution of from 10 to 75% by weight dextran-maleic acid monoester and from 90 to 25% by weight N-isopropylacrylamide based on the total of the dextran-maleic acid monoester and the N-isopropylacrylamide being 100%.

Serial Number: 10/537,354  
Attorney Docket: CHUC3006PCT-US

6. (New) Hydrogel formed by photocrosslinking of dextran-maleic acid monoester and N-isopropylacrylamide in a composition comprising from 10 to 75% by weight dextran-maleic acid monoester to provide functionality for the hydrogel to change shape and volume in response to pH change and from 90 to 25% by weight N-isopropylacrylamide to provide functionality for the hydrogel to change shape and volume in response to temperature change, the total of the dextran-maleic acid monoester and N-isopropylacrylamide being 100%.